

Applicant(s): Nobuyuki Miyasaka et al.
THERAPEUTIC AGENT FOR RHEUMATISM P21CIP1

RECEIVED

OCT 25 2002

TECH CENTER 1600/2900 Page 1 of 13




FIG. 1A






FIG. 1B



Appln No.: 10/088,661 Page Applicant(s): Nobuyuki Miyasaka et al. THERAPEUTIC AGENT FOR RHEUMATISM P21CIP1

RECEIVED TECHCENTER TOOMSON








Appln No.: 10/088,661 Page Applicant(s): Nobuyuki Miyasaka et al. THERAPEUTIC AGENT FOR RHEUMATISM P21CIP1

AF OCT 25 2002 FOR SOURCE LECTION OF THE OCT 25 2002 Page 3 of 13







FIG. 2D



Applicant(s): Nobuyuki Miyasaka et al.
THERAPEUTIC AGENT FOR RHEUMATISM P21CIP1

PLE CELVELY STORE ROOMS OF THE CHIEF PROPERTY OF THE CHIEF PROPERT Page 4 of 13





Applicant(s): Nobuyuki Miyasaka et al.
THERAPEUTIC AGENT FOR RHEUMATISM P21CIP1

THE STATE OF THE PARTY OF THE P Page 5 of 13





FIG. 4




OIFA OCT · O 8 2002

Appln No.: 10/088,661 Page Applicant(s): Nobuyuki Miyasaka et al. THERAPEUTIC AGENT FOR RHEUMATISM P21CIP1

Page 7 of 13


RECEIVED ROUGO





Appln No.: 10/088,661 Page Applicant(s): Nobuyuki Miyasaka et al. THERAPEUTIC AGENT FOR RHEUMATISM P21CIP1


Page 8 of 13

RECEIVED OCT 2 5 2002










TECH CENTER 1600/2900

Applicant(s): Nobuyuki Miyasaka et al.
THERAPEUTIC AGENT FOR RHEUMATISM P21CIP1

At STANDER BY STANDER


Page 9 of 13




Appln No.: 10/088,661 Page 1 Applicant(s): Nobuyuki Miyasaka et al. THERAPEUTIC AGENT FOR RHEUMATISM P21CIP1

Page 10 of 13

RECEIVED ROOMSON TECHCENTER TOOMSON







Appln No.: 10/088,661 Page Applicant(s): Nobuyuki Miyasaka et al.
THERAPEUTIC AGENT FOR RHEUMATISM P21CIP1

RECEIVED OCT 2.5 2002 TECH CENTER TOOMSON





FIG. 11A



Page 12 of 13

FIG. 11B

Applicant(s): Nobuyuki Miyasaka et al.
THERAPEUTIC AGENT FOR RHEUMATISM P21CIP1

Page 13 of 13

RECEIVED
OCT 2 5 2002
TECHCENTER 1000/2900




FIG. 11C